PPG

Product information PREPSOL 922-05184

Product Description

Prepsol is a cleaning solvent for removing tar, grease, finger prints and other stubborn solvent borne contaminants from surfaces prior to sanding or painting

This product is Ready-For-Use directly from the container.

Product	PREPSOL	922-05184
APPLICATION	Apply Prepsol to the surface with clean lint free cloth.	
	Follow immediately with a separate clean lint free cloth to wipe off contaminants.	
	Do not allow the product to dry on the surface which has been cleaned.	
	Wipe off surplus with another clean dry cloth. Change rags frequently.	
	Wipe surfaces to be cleaned before and after sanding.	
POINTS TO NOTE	Use liberally BEFORE any sanding and again be	fore undercoating.
	Use sparingly on primed surfaces before topcoating.	

Health and Safety

Please refer to Material Safety Data Sheets for full Health and Safety details and storage regulations.

- Goggles must be worn when using to prevent accidental splashing into the eye. If contact occurs with
 eyes give prolonged irrigation with water and get medical attention immediately.
- Good ventilation and extraction must be provided in the working environment.
- Wear suitable protective equipment to prevent skin contact with this material.

This product is for professional use only.

The information given in this sheet is for guidance only. Any person using the product without first making further inquiries as to the suitability of the product for the intended purpose does so at his own risk and we can accept no liability for the performance of the product or for any loss or damage (other than death or personal injury resulting from our negligence) arising out of such use. The information contained in this sheet is liable to modification from time to time in the light of experience and our policy of continuous product development.

Drying times quoted are average times at 20°C/68°F. Film thickness, humidity and shop temperature can all affect drying times.



PPG INDUSTRIES AUSTRALIA PTY LIMITED McNaughton Road Clayton VIC Australia 3168 Tel: 13 2424 Fax: 1800 800 819

PPG INDUSTRIES NZ LIMITED 5 Vestey Drive Mt. Wellington Auckland New Zealand Tel: 0800 320 320 Fax: 0800 320 322